A Search For CP Violation in Hyperon Decays by the HyperCP Experiment at Fermilab

Timothy Holmstrom

University of Virginia

(College of William and Mary)

6th International Conference on Hyperons, Charm and Beauty Hadrons Chicago, Illinois, June 30, 2004





HyperCP (FNAL E871) Collaboration

A. Chan, Y.C. Chen, C. Ho, P.K. Teng

Academia Sinica, Taiwan

W.S. Choong, Y. Fu, G. Gidal, P. Gu, T. Jones, K.B. Luk, B. Turko, P. Zyla

University of California at Berkeley and Lawrence Berkeley National Laboratory

C. James, J. Volk

Fermilab

J. Felix

University of Guanajuato, Mexico

R. Burnstein, A. Chakravorty, D. Kaplan, L. Lederman, W. Luebke, D. Rajaram,

H. Rubin, N. Solomey, Y. Torun, C. White, S. White

Illinois Institute of Technology

N. Leros, J. P. Perroud

Universite de Lausanne

R.H. Gustafson, M. Longo, F. Lopez, H.K. Park

University of Michigan

C. M. Jenkins, K. Clark

University of South Alabama

C. Dukes, C. Durandet, T. Holmstrom, M. Huang, L.C. Lu, K. Nelson

University of Virginia





Nonleptonic Decays of Hyperons


- The parity-violating weak decays we are interested in are: $\Xi \to \Lambda \pi^-, \Lambda \to p \pi^-$
- The Λ and p have an angular decay distribution that takes the following form:


$$\frac{dN}{d\cos\theta} = \frac{N_0}{2} \left(1 + \alpha_p \vec{\mathbf{P}}_p \cos\theta \right)$$

• Where the α decay parameter for the Λ and Ξ is:

$$\alpha_{\Lambda,\Xi} = \frac{2\operatorname{Re}(S*P)}{\left|S\right|^2 + \left|P\right|^2}$$

- *S* and *P* are the angular momentum wave amplitudes.
- The α_{Ξ} and α_{Λ} are large and are a measure of parity violation.









CP Violation in Hyperon Decays

• If *CP* is conserved then:

$$\alpha_{\Lambda} = -\alpha_{\overline{\Lambda}}$$
 and $\alpha_{\Xi} = -\alpha_{\overline{\Xi}}$

• The *CP*-asymmetry parameters are defined as:

$$A_{\Lambda} = \frac{\alpha_{\Lambda} + \alpha_{\overline{\Lambda}}}{\alpha_{\Lambda} - \alpha_{\overline{\Lambda}}} \qquad A_{\Xi} = \frac{\alpha_{\Xi} + \alpha_{\overline{\Xi}}}{\alpha_{\Xi} - \alpha_{\Xi}}$$

• These parameters are related to the strong- and weak-phase differences:

strong weak**

$$A_{\Lambda} \cong -\tan(\overbrace{\delta_{1}^{P} - \delta_{1}^{S}}^{strong}) \sin(\overbrace{\phi_{1}^{P} - \phi_{1}^{S}}^{weak})$$

$$A_{\Xi} \cong -\tan(\delta_{3}^{P} - \delta_{3}^{S}) \sin(\phi_{1}^{P} - \phi_{1}^{S})$$

- HyperCP has measured the Λ - π strong phase shift difference to be 4.6±1.4±1.2°.
- But we need to know the polarization to measure the α parameter






How does *HyperCP* produce Λs with a known Polarization?

- The experimental approach is to use unpolarized Ξ^- decays. The unpolarized Ξ^- are produced by targeting the beam at 0° with respect to the collimator.
- The polarization of a daughter particle from an unpolarized parent is know to be: $\vec{P}_{\text{A}} = \alpha_{\text{F}} \hat{p}_{\text{A}}$
- This means that the angular decay distribution of the Λ can now be described by:

$$\frac{dN_{p}}{dcos\theta_{p\Lambda}} = \frac{N_{0}}{2} \left(1 + \alpha_{\Lambda} \alpha_{\Xi} \cos\theta_{p\Lambda} \right)$$

$$A_{\rm ea} = \frac{\alpha_{\rm e}\alpha_{\rm A} - \alpha_{\rm e}\alpha_{\rm A}}{\alpha_{\rm e}\alpha_{\rm A} + \alpha_{\rm e}\alpha_{\rm A}} \approx A_{\rm e} + A_{\rm A}$$







How is this different from ε' ?

• $A_{\Xi\Lambda}$

- Interference arises
 from a *CP* violating
 phase difference in the
 S and P wave
 amplitudes
- Combines both Parity violating and conserving amplitudes

3/'3

- Interference arises
 from a *CP* violating
 phase in the I = 0 and I
 = 2 amplitudes
- Consists of only Parity violating amplitudes


"Our results suggest that this measurement is complementary to the measurement of ε '/ ε , in that it probes potential sources of CP violation at a level that has not been probed by Kaon experiments" (He and Valencia)





Theoretical Predictions

- Standard Model predicts that A_{Λ} is from -3×10^{-5} to 4×10^{-5} and A_{Ξ} is from -2×10^{-5} to 1×10^{-5} (Tandean and Valencia).
- Some SUSY models predict A_{Λ} values up to 1.9×10^{-3} (He et al.).
- Most models predict A_{Ξ} to be smaller than A_{Λ} .
- HyperCP will measure $A_{\Xi\Lambda}$ at the level of $\approx 2.0 \times 10^{-4}$, thus a positive result would be a signal for new physics







Experimental Results

Experiment	Mode	A_{Λ}
R608 at ISR	$p\bar{p} \to \Lambda X, p\bar{p} \to \overline{\Lambda} X$	-0.02 ± 0.14
DM2 at Orsay	$e^+e^- \rightarrow J/\Psi \rightarrow \overline{\Lambda}\Lambda$	0.01 ±0.10
PS185 at LEAR	$\overline{p}p \rightarrow \overline{\Lambda}\Lambda$	-0.013 ±0.022

Experiment	Mode	$A_{\Xi\Lambda}$
FNAL E756	$\Xi \to \Lambda \pi, \Lambda \to p\pi$	0.012 ± 0.014


• *HyperCP* will measure $A_{\Xi\Lambda}$ with unpolarized Ξ^- and Ξ^+ hyperons produced by 800 GeV protons to a precision two orders of magnitude better than any previous experiment.





The *HyperCP* Spectrometer

- Protons on target = (7-8) GHz
- Sec. beam inten. = (10-15) MHz
- Total triggers = (50-80) kHz








3.0 m

Statistics of the 1997 and 1999 Runs








Two analysis methods

- Using two methods allows us to cross check our result
- HMC Method Uses real events, replacing the proton and pion by generating 10 new unpolarized decays
- Advantage: well-tested and understood method
- Disadvantage: Monte Carlo requires detailed simulation of trigger and detector response.
 - Ξ Λ p π


- Weighting method- Force two samples to have similar production momentum and spatial distributions
- Advantage: No Monte Carlo measurement of acceptance needed
- Disadvantage: no absolute measure of $\alpha_{\Lambda}\alpha_{\Xi}$.





HMC measurement of $\alpha_{\Xi}\alpha_{\Lambda}$ and $A_{\Xi\Lambda}$

- Data sample: randomly selected Ξ events during data reduction; about $15 \times 10^6 \Xi^-$ and $30 \times 10^6 \Xi^+$ events.
- Average $\alpha_{\Xi}\alpha_{\Lambda} = -0.2880 \pm 0.0004 \text{(stat)}$, in agreement with PDG value with $\chi^2 = 26/19 \text{ dof.}$



• Preliminary result: $A_{\Xi\Lambda} = [-7 \pm 12(\text{stat}) \pm 6.2(\text{sys})] \times 10^{-4}$

Weighting Method:

Correcting for the Acceptance Difference

- For a non-perfect detector one must add an acceptance term:
- If one takes a ratio of the two distributions the acceptance cancels:
- The difference is:
- The fitting function used was:

$$\frac{dP}{d\cos\theta} = \frac{1}{2}A(\cos\theta)\left(1 + \alpha_{\Lambda}\alpha_{\Xi}\cos\theta\right)$$

$$Ratio = \phi \frac{\left(1 + (\alpha_{\Lambda} \alpha_{\Xi})_{-} \cos \theta\right)}{\left(1 + (\alpha_{\Lambda} \alpha_{\Xi})_{+} \cos \theta\right)}$$

$$\delta = (\alpha_{\Lambda} \alpha_{\Xi})_{-} - (\alpha_{\Lambda} \alpha_{\Xi})_{+}$$

$$Ratio = \phi \frac{\left(1 + (\alpha_{\Lambda} \alpha_{\Xi})_{-} \cos \theta\right)}{\left(1 + ((\alpha_{\Lambda} \alpha_{\Xi})_{-} - \delta) \cos \theta\right)}$$






Weighting Method:

Correcting for the Production Difference

- Matched the \(\mathbb{\pi}\)
 momentum, y position
 at the collimator exit,
 and y slope at the
 collimator exit.
- Cut the non-flat regions of the *x* position and *x* slope distributions at the collimator exit.
- Approach does not correct for the acceptance difference due to spectrometer inefficiencies.








Monte Carlo

- To reduce processing time, and to improve the simulation, the Ξ position and momentum at the exit of the collimator was taken from data, not simulated. This approach was termed the Collimator Hybrid Monte Carlo (CHMC).
- The rest of the decay sequence was simulated from the collimator exit.
- The full analysis was run on each sample.
- The CHMC is only used to verify code and study some systematics, the result is not Monte Carlo dependent.




$$\delta = (\alpha_{\Lambda} \alpha_{\Xi})_{-} - (\alpha_{\Lambda} \alpha_{\Xi})_{+}$$





Correcting Acceptance Differences in Real Data








$A_{\Xi \Lambda}$ Measurement

- •For this analysis data were taken from the end of the 1999 run, when the spectrometer was most stable.
- •Runs with high inefficiencies were not included.

$$\delta_{raw} = (-1.3 \pm 3.0) \times 10^{-4}$$

$$\delta_{corr.} = (0.0 \pm 3.0) \times 10^{-4}$$

$$\chi^2/ndf = 1.4$$



$$A_{\Xi\Lambda} = (0.0 \pm 5.1) \times 10^{-4}$$

$$\#\Xi^{-}=118\times10^{6}$$

$$\#\Xi^{+} = 42 \times 10^{6}$$





Systematic Summary

x position at Collimator cut	1.2×10 ⁻⁴
x slope at Collimator cut	1.4×10 ⁻⁴
Analysis Magnet	2.8×10 ⁻⁴
Hodoscope	0.3×10 ⁻⁴
Calorimeter	2.1×10 ⁻⁴
Interaction Difference	0.9×10 ⁻⁴
Background	0.3×10 ⁻⁴
Bin size	0.4×10 ⁻⁴
Validation of the Analysis Code	1.9×10 ⁻⁴
$\alpha_{\Lambda}\alpha_{\Xi}$ PDG error	0.3×10^{-5}
Total	4.2×10 ⁻⁴





Conclusion

- Over $119 \times 10^6 \,\Xi^-$ and $42 \times 10^6 \,\bar{\Xi}^+$ (10% of the *HyperCP* data) have been analyzed, using a weighting method, giving a preliminary result almost 20 times smaller then the previous best measurement
- The result is consistent with the result from a parallel Hybrid Monte Carlo study done on a different subset of the data.
- A number of systematic errors have been studied. The largest of these are the calorimeter and analysis magnet systematic errors.
- The weighting analysis method will be used to measure the entire Hyper*CP* data set further constraining the SUSY models and other exotic forms of *CP* violation.
- The preliminary result is:

$$A_{\Xi\Lambda} = [0.0 \pm 5.1(stat.) \pm 4.2(syst.)]x10^{-4}$$



